
L Number	Hits	Search Text	DB	Time stamp
8	6	("5854929" "5896521" "6142683").pn.	USPAT;	2003/05/05 09:57
]		( 000.323	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
			IBM TDB	
15	0	Ussery.in. and debug.ti.	USPĀT;	2003/05/05 09:58
		-	US-PGPUB;	
			EPO; JPO;	ļ l
1			DERWENT;	
			IBM_TDB	
22	27	Ussery.in.	USPĀT;	2003/05/05 09:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
29	ا م	barry.in and configurable and	IBM_TDB USPAT;	2003/05/05 09:59
29	١	multi-processor	US-PGPUB;	2003/03/03 09.39
		multi processor	EPO; JPO;	
			DERWENT;	
			IBM TDB	
36	0	barry.in and configurable	USPAT;	2003/05/05 09:59
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
43	120	barry.in. and configurable	USPĀT;	2003/05/05 10:00
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
50	2	convergeing/dobug and harry in	IBM_TDB USPAT;	2003/05/05 10:00
30	2	coprocessing/debug and barry.in.	US-PGPUB;	2003/03/03 10:00
			EPO; JPO;	
			DERWENT;	
			IBM TDB	l
_	1	(configurable adj processor) and monitor	USPAT;	2003/05/01 08:44
		and (instruction near5 insert\$3) and state	US-PGPUB;	
		and (dependenc\$3 or interdependenc\$3)	EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	13	(configurable adj processor) and tool and	USPAT;	2003/04/24 17:45
		state .	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	226	717/124.ccls.	USPAT;	2003/05/01 07:35
	220	,1,,121.0015.	US-PGPUB;	-003,03,01 07.33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	133	717/125.ccls.	USPĀT;	2003/05/01 07:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	170	717/100 1-	IBM_TDB	0000/05/04 05 05
-	179	717/128.ccls.	USPAT;	2003/05/01 07:35
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	176	717/131.ccls.	USPAT;	2003/05/01 07:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	36	717/132.ccls.	USPAT;	2003/05/01 07:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L			IBM TDB	l

-	33	717/133.ccls.	USPAT;	2003/05/01 07:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	361	712/227.ccls.	USPAT;	2003/05/01 07:36
	301	1127227.0013.	US-PGPUB;	2003/03/01 07:30
1			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	229	712/209.ccls.	USPĀT;	2003/05/01 07:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	400	714/10 1	IBM_TDB	0000 (05 (05 07 07 06 )
-	422	714/10.ccls.	USPAT;	2003/05/01 07:36
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	ĺ
_	389	714/11.ccls.	USPAT;	2003/05/01 07:36
1	303	,	US-PGPUB;	2003,03,01 07.30
1			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	160	714/12.ccls.	USPAT;	2003/05/01 07:36
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
	269	714/37.ccls.	IBM_TDB USPAT;	2003/05/01 07:36
-	269	/14/3/.CCIS.	US-PGPUB;	2003/05/01 07:36
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1002	714/38.ccls.	USPAT;	2003/05/01 07:37
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	285	714/45.ccls.	USPAT;	2003/05/01 07:37
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	347	714/46.ccls.	USPAT;	2003/05/01 07:37
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	714/46.ccls. and (configur\$4 adj	USPĀT;	2003/05/01 07:42
		processor)	US-PGPUB;	
	1		EPO; JPO;	
	1		DERWENT; IBM TDB	
_	1	717/124.ccls. and (configur\$4 adj	USPAT;	2003/05/01 07:43
	1	processor) and state	US-PGPUB;	2005,05,01 07.45
	1		EPO; JPO;	
	1		DERWENT;	
	1		IBM TDB	
-	1	717/124.ccls. and (configur\$4 adj	USPĀT;	2003/05/01 08:39
	1	processor)	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
	1 _	710/007 3 / 51	IBM_TDB	2002/05/01 00 00
-	2	712/227.ccls. and (configur\$4 adj	USPAT; US-PGPUB;	2003/05/01 08:39
	1	processor)	EPO; JPO;	
1	1		DERWENT;	
	1		IBM TDB	]
		I	1 -2 100	

-	1	712/209.ccls. and (configur\$4 adj processor)	USPAT; US-PGPUB;	2003/05/01 08:40
		, p20000001	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	714/10.ccls. and (configur\$4 adj	USPAT;	2003/05/01 08:40
]		processor)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3	714/11.ccls. and (configur\$4 adj	USPAT;	2003/05/01 08:41
		processor)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	2	714/37.ccls. and (configur\$4 adj	USPAT;	2003/05/01 08:41
	·	processor)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	1	714/38.ccls. and (configur\$4 adj	IBM_TDB USPAT;	2003/05/01 08:42
		processor)	US-PGPUB;	2003/03/01 00.42
		( <del>-</del>	EPO; JPO;	
			DERWENT;	
	7.4	configurable adi (managana an mu ar	IBM_TDB	2003/05/01 08:47
-	74	configurable adj (processor or pu or (processing adj unit)) and state	USPAT; US-PGPUB;	2003/03/01 08:4/
		(F	EPO; JPO;	
			DERWENT;	
	0.1	(adambah) an madifiah)	IBM_TDB	2002/05/03 20 12
-	91	(adaptable or modifiable or configurable) adj (processor or pu or (processing adj	USPAT; US-PGPUB;	2003/05/01 08:48
		unit)) and state	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/05/05 55 55
-	57	(adaptable or modifiable or configurable)	USPAT;	2003/05/01 09:10
		<pre>adj (processor or pu or (processing adj unit)) and state and (debug\$4 or monitor\$3</pre>	US-PGPUB; EPO; JPO;	
		or trac\$3 or instrument\$5 or insert\$3 or	DERWENT;	
		simulat\$3) and (dependen\$4 or	.IBM_TDB	
		inter-dependen\$4 or (inter adj dependen\$4)		
_	1	or interdependen\$4) (debug\$4 or monitor\$3 or trac\$3 or	USPAT;	2003/05/01 09:25
		instrument\$5 or insert\$3 or	US-PGPUB;	2003,03,01 09.23
		simulat\$3)near3 ((adaptable or modifiable	EPO; JPO;	
		or configurable) adj (processor or pu or	DERWENT;	
		(processing adj unit))) and state and (dependen\$4 or inter-dependen\$4 or (inter	IBM_TDB	1
		dependen\$4 or inter-dependen\$4 or (inter   adj dependen\$4) or interdependen\$4)		
-	1	(debug\$4 or monitor\$3 or trac\$3 or	USPAT;	2003/05/01 09:28
		instrument\$5 or insert\$3 or	US-PGPUB;	
		simulat\$3)near5 ((adaptable or modifiable	EPO; JPO;	
		or configurable) adj (processor or pu or (processing adj unit))) and state and	DERWENT; IBM TDB	
		(dependen\$4 or inter-dependen\$4 or (inter	121.1_122	
		adj dependen\$4) or interdependen\$4)		
-	1	(debug\$4 or monitor\$3 or trac\$3 or	USPAT;	2003/05/01 09:29
		<pre>instrument\$5 or insert\$3 or simulat\$3)near5 ((adaptable or modifiable</pre>	US-PGPUB;	
		or configurable) adj (processor or pu or	EPO; JPO; DERWENT;	
} <b> </b>		(processing adj unit))) and state	IBM TDB	
-	19	(debug\$4 or monitor\$3 or trac\$3 or	USPAT;	2003/05/01 09:30
		<pre>instrument\$5 or insert\$3 or simulat\$3)</pre>	US-PGPUB;	
		same ((adaptable or modifiable or	EPO; JPO;	
1		configurable) adj (processor or pu or (processing adj unit))) and state	DERWENT; IBM TDB	
-	19	(debug\$4 or monitor\$3 or trac\$3 or	USPAT;	2003/05/01 09:39
		<pre>instrument\$5 or insert\$3 or simulat\$3)same</pre>	US-PGPUB;	
		((adaptable or modifiable or configurable)	EPO; JPO;	
		<pre>adj (processor or pu or (processing adj unit))) and state</pre>	DERWENT;	
		unitiff and State	IBM_TDB	<u> </u>

-	18648	(debug\$4 or monitor\$3 or trac\$3 or	USPAT;	2003/05/01 09:42
•		instrument\$5 or insert\$3 or simulat\$3) near3 state and (pu or processor or	US-PGPUB; EPO; JPO;	
		microprocessor or (processing adj unit))	DERWENT;	
		manufaction of (processing day direct)	IBM TDB	
-	4636	(debug\$4 or monitor\$3 or trac\$3 or	USPĀT;	2003/05/01 09:44
		instrument\$5 or insert\$3 or simulat\$3)	US-PGPUB;	
		near3 state same (pu or processor or	EPO; JPO;	
		microprocessor or (processing adj unit))	DERWENT;	
l _	355	(debug\$4 or monitor\$3 or trac\$3 or	IBM_TDB USPAT;	2003/05/01 09:45
	333	instrument\$5 or insert\$3 or simulat\$3) adj	US-PGPUB;	2003/03/01 03.43
l		state near3 (pu or processor or	EPO; JPO;	
		microprocessor or (processing adj unit))	DERWENT;	
			IBM_TDB	
-	10	· · · · · · · · · · · · · · · · · · ·	USPAT;	2003/05/01 09:54
		instrument\$5 or insert\$3 or simulat\$3) adj	US-PGPUB;	
		state near3 (pu or processor or microprocessor or (processing adj unit))	EPO; JPO; DERWENT;	
		and 717/???.ccls.	IBM TDB	
_	13	(debug\$4 or monitor\$3 or trac\$3 or	USPAT;	2003/05/01 10:06
		instrument\$5 or insert\$3 or simulat\$3) adj	US-PGPUB;	
		state near3 (pu or processor or	EPO; JPO;	
		microprocessor or (processing adj unit))	DERWENT;	
	_	and 714/???.ccls.	IBM_TDB	0000/05/05 55 55
-	9	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) adj	USPAT; US-PGPUB;	2003/05/01 10:06
		state near3 (pu or processor or	EPO; JPO;	
		microprocessor or (processing adj unit))	DERWENT;	
		and 712/???.ccls.	IBM TDB	
-	29874	(access\$3 or query or querying) near3	USPĀT;	2003/05/01 14:55
		(processor or pu or (processing adj unit)	US-PGPUB;	
	1	adj state)	EPO; JPO;	
	1		DERWENT;	
_	49786	(debug\$4 or monitor\$3 or instrument\$3 or	IBM_TDB USPAT;	2003/05/01 14:56
	49/00	access\$3 or profil\$3 or trac\$3 or query or	US-PGPUB;	2003/03/01 14:56
	1	querying) near3 (processor or pu or	EPO; JPO;	
	1	(processing adj unit) adj state)	DERWENT;	
		4,,, 4	IBM_TDB	
_	59211	(debug\$4 or monitor\$3 or instrument\$3 or	USPAT;	2003/05/01 14:57
		access\$3 or profil\$3 or trac\$3 or query or querying) near3 state	US-PGPUB; EPO; JPO;	
	1		DERWENT;	
	•		IBM TDB	
-	543	access\$3 near3 processor near3 state	USPĀT;	2003/05/01 14:58
		_	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
_	119	accoses3 poar3 processor add atata	IBM_TDB	2002/05/01 14:50
_	119	access\$3 near3 processor adj state	USPAT; US-PGPUB;	2003/05/01 14:58
	1		EPO; JPO;	
	[		DERWENT;	
			IBM_TDB	
-	2	query adj processor adj state	USPAT;	2003/05/01 14:59
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	1075	debug\$4 near3 processor	USPAT;	2003/05/01 14:59
	-5.5		US-PGPUB;	2003,03,01 14.39
			EPO; JPO;	
			DERWENT;	
			IBM_TDB °	
-	396	debug\$4 near3 processor and 7??/???.ccls.	USPAT;	2003/05/01 15:07
ļ			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
	<u> </u>			<u></u>

-	2	debug\$4 near3 processor adj (creation or design or development or configuration)	USPAT;	2003/05/01 15:11
		and 7??/???.ccls.	US-PGPUB; EPO; JPO;	
			DERWENT;	
1_	١ ,	debug\$4 near3 (configur\$4 adj processor)	IBM_TDB USPAT;	2003/05/01 15:11
	ľ	debugy4 hears (configurat ad) processor)	US-PGPUB;	2003/03/01 13:11
			EPO; JPO;	
			DERWENT;	
_	986	configur\$4 adj processor	IBM_TDB USPAT;	2003/05/01 15:12
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	678		USPAT;	2003/05/01 15:13
		debug\$4 or monitor or instrument\$5)	US-PGPUB; EPO; JPO;	
			DERWENT;	
	470		IBM_TDB	
_	479	configur\$4 adj processor and (test\$3 or debug\$4 or monitor or instrument\$5) and	USPAT; US-PGPUB;	2003/05/01 16:13
		state	EPO; JPO;	
			DERWENT;	
-	10	("5450586"   "5535331"   "5748875"	IBM_TDB USPAT	2003/05/01 15:32
	1	"5819050"   "5854929"   "5870588"		
		"5999734"   "6006022"   "6182206"     "6195593").PN.		
-	0	6477683.URPN.	USPAT	2003/05/01 15:37
-	5	("5303350"   "5452467"   "5635855"     "5777885"   "6272465").PN.	USPAT	2003/05/01 15:42
_	26494		USPAT;	2003/05/01 16:16
		interdependencies or inter-dependencies)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	1253	processor near5 state and (dependency or	USPAT;	2003/05/01 16:28
		dependencies or interdependencies or inter-dependencies)	US-PGPUB; EPO; JPO;	
		•	DERWENT;	
_	325	processor near5 state and (dependency or	IBM_TDB USPAT;	2003/05/01 16:32
		dependencies or interdependencies or	US-PGPUB;	2003/03/01 10:52
		inter-dependencies) and debug\$4	EPO; JPO; DERWENT;	
			IBM TDB	
-	260	processor near5 state and (dependency or	USPĀT;	2003/05/01 16:33
		dependencies or interdependencies or inter-dependencies) and debug\$4 and	US-PGPUB; EPO; JPO;	
		7??/???.ccls.	DERWENT;	
_	28	processor near5 state same (dependency or	IBM_TDB USPAT;	2003/05/01 16:35
	20	dependencies or interdependencies or	US-PGPUB;	2003/03/01 10:35
		inter-dependencies) and debug\$4 and	EPO; JPO;	
		7??/???.ccls.	DERWENT; IBM TDB	
-	0	F Domes and (mepondency of	USPĀT;	2003/05/01 16:35
		dependencies or interdependencies or inter-dependencies) and debug\$4 and	US-PGPUB;	
		7??/???.ccls.	EPO; JPO; DERWENT;	
_	1	processor poors state and dame.	IBM_TDB	2002/05/24
_		processor near5 state adj (dependency or dependencies or interdependencies or	USPAT; US-PGPUB;	2003/05/01 16:35
		inter-dependencies)	EPO; JPO;	
			DERWENT;	
-	11	("5359546" "5537560" "5841670"	IBM_TDB USPAT;	2003/05/05 08:11
		"6182245" "6510402" "5371883").pn.	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	




## [Abstract] [PDF Full-Text (884 KB)] **IEEE CNF**

## 2 Enable++: a general-purpose L2 trigger processor

Hogl, H.; Kugel, A.; Ludvig, J.; Manner, R.; Noffz, K.H.; Zoz, R.;

Nuclear Science Symposium and Medical Imaging Conference Record, 1995., 1995 IEEE, Volume: 2, 21-28 Oct 1995

Page(s): 667 -671 vol.2



## [Abstract] [PDF Full-Text (532 KB)] **IEEE CNF**

## 2 Enable++: a second generation FPGA processor

Hogl, H.; Kugel, A.; Ludvig, J.; Manner, R.; Noffz, K.H.; Zoz, R.;

FPGAs for Custom Computing Machines, 1995.

Proceedings. IEEE Symposium on , 19-21 Apr 1995

Page(s): 45 -53